



**CHARGE
ANYWHERE®**
Empowering Payments®

Go Line Payment Solutions

POWERED BY
QUICKSALE® HUB

One trusted platform. Every payment experience.



2025 EDITION

QUICKSALE® HUB

THE INFRASTRUCTURE BEHIND EVERY PAYMENT EXPERIENCE

QUICKSALE® HUB IS THE UNIFIED PLATFORM THAT CONNECTS SOFTWARE, HARDWARE AND PAYMENT SERVICES INTO ONE SECURE, SCALABLE ECOSYSTEM. BUILT FOR ISVS. DESIGNED FOR FLEXIBILITY. TRUSTED EVERYWHERE.

HOW IT WORKS



1

ISV / SOFTWARE APPLICATION

INTEGRATE ONCE WITH QUICKSALE® HUB APIS AND SDKS.



2

PAYMENT EXPERIENCE

ENABLE CARD-PRESENT, CARD-NOT-PRESENT, AND DIGITAL PAYMENTS SEAMLESSLY.



3

GO LINE HARDWARE

CERTIFIED DEVICES THAT DELIVER SPEED, SECURITY AND RELIABILITY AT THE POINT OF SALE.



4

CHARGE ANYWHERE® PAYMENT INFRASTRUCTURE

TRANSACTIONS ARE SECURELY ROUTED THROUGH OUR GATEWAY TO GLOBAL ACQUIRING AND SETTLEMENT.

HUB CAPABILITIES



SECURE

PCI DSS LEVEL 1 SERVICE PROVIDER WITH END-TO-END ENCRYPTION.



FLEXIBLE

APIS, SDKS AND PRE-BUILT COMPONENTS FOR RAPID INTEGRATION AND CUSTOMIZATION.



SCALABLE

CLOUD-NATIVE PLATFORM BUILT TO SCALE WITH YOUR BUSINESS.



GLOBAL

MULTI-CURRENCY AND MULTI-REGION SUPPORT FOR BUSINESSES EVERYWHERE.



INTELLIGENT

REAL-TIME INSIGHTS, REPORTING AND ANALYTICS TO DRIVE SMARTER DECISIONS.



ONE HUB. ENDLESS POSSIBILITIES.

QUICKSALE® HUB POWERS EVERY SOLUTION IN OUR GO LINE, GIVING ISVS THE TOOLS TO INNOVATE, INTEGRATE AND GROW—WHILE DELIVERING A FRICTIONLESS PAYMENT EXPERIENCE FOR EVERY BUSINESS.



Go Line Portfolio Overview

— ONE PLATFORM. COMPLETE PAYMENT SOLUTIONS. —

The Go Line delivers a full spectrum of certified payment hardware to power every business, every environment, every customer experience.



MOBILE & INTEGRATED PAYMENTS



Go mPOS Reader
Pocket-sized mPOS reader for secure, on-the-go payments.



Go PIN Pad
Versatile PIN pad for countertop or integrated solutions.



Go Pad Pro
Full-featured payment terminal with touch display and optional connectivity.



Square Reader
Compact Android-powered reader with a modern square design.



Go Pad Plus
Advanced smart terminal with touchscreen and business capabilities.



Go 50
Compact smart terminal designed for performance and reliability.



Go Tab
Durable tablet solution for businesses that need power and portability.



UNATTENDED PAYMENTS



Go Unattended
Self-service payment kiosk built for secure, unattended transactions.



Go-50 Unattended
Robust unattended payment solution for high-traffic environments.



Go mPOS Reader

Available in Tap/Chip/MSR
and Tap/Chip

Charging Base Optional



KEY FEATURES



Secure, compact design for on-the-go payments



Supports Tap, Chip, and Magnetic Stripe (MSR) configurations



Wide compatibility with iOS, Android, and Windows



Optional charging base for convenient power and storage

	CPU	Secure ATM Cortex M3
	Buttons	On/Off button Bluetooth Pair Button
	Magnetic Card Reader	Triple track bi-directional
	Smart Card Reader	Friction type
	Contactless Reader	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments	VISA payWave Mastercard Contactless UnionPay QuickPass JCB J/Speedy American Express ExpressPay Discover D-Pas eftPOS
	Connectors	US B Micro port
	Wired Communication	US B (device)
	OS Compatibility	iOS Android Windows
	Bluetooth	BT version 4.2 Low Energy
	Audio Features	Electromagnetic buzzer
	Power Supply	DC 5 V through USB
	Battery	Rechargeable Li-Po Battery 3.7 V, 500 mAh
	Reliability	1,000,000 magnetic card swipes 500,000 chip card cycles
	Certificates	CE FCC PCI PTS 5.x EMV Level 1 EMV Level 2 EMV Level 1 Contactless
	Dimension W x D x H	69 x 75 x 14 mm
	Weight	75 g
	Operational Temperature	-10 °C to 40 °C / 5 to 90% RH
	Storage Temperature	-15 °C to 50 °C / 5 to 90% RH
	Drop Tested	1.2 m faces and edges
	Other Box Contents	90 cm US B Type-A to Micro cable

Go PIN Pad



KEY FEATURES

- Versatile PIN pad for countertop or integrated payment solutions.
- Supports EMV chip, magstripe, NFC contactless, and mobile wallets.
- Compact, durable design built for everyday use.
- Seamless USB connectivity with broad compatibility.
- Secure, reliable, and certified for peace of mind.
- Simple integration with QuickSale® HUB and third-party platforms.
- Cost-effective solution for any business.

	CPU	Secure ARM Cortex M4
	Buttons	On/Off button, 10 numeric buttons, 2 function buttons
	Display	320 x 240 px 2-Inch Color TFT
	Magnetic Card Reader	Triple track bi-directional
	Smart Card Reader	Friction type
	Contactless Reader	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments	VISA payWave Mastercard PayPass American Express DPAS (Discover)
	Connectors	Contact pins USB Type-C port nanoSIM slot (optional)
	Wired Communication	USB (device)
	OS Compatibility	iOS, Android, Windows
	Bluetooth	BT version 4.2 Low Energy
	Wireless (optional)	Wi-Fi IEEE 802.11 b/g/n
	Cellular Module (optional)	2G/4G communication
	LED Indication	Contactless payment status
	Audio Features	Electromagnetic buzzer
	Power Supply	DC 5 V through USB DC 5 V through contact pins
	Battery	Rechargeable Li-Po Battery 3.7 V, 620 mAh
	Reliability	500,000 chip card cycles 1,000,000 button clicks
	Certificates	CE, FCC, PCI PTS 5.x, EMV Level 1, EMV Level 2, EMV Level 1 Contactless, TQM
	Dimensions	69 W x 121 D x 16 H (mm)
	Weight	138 g
	Operational Temperature	-10°C to 40°C / 5 to 90% RH
	Storage temperature	-15°C to 50°C / 5 to 90% RH
	Drop Tested	1.2 m, faces and edges
	Other Box Contents	USB Type-A to USB Type-C cable

Go Pad Pro

Secure Android tablet
with integrated
payments.



KEY FEATURES

-  All-in-one Android tablet with integrated payments
-  Powered by Android 13 for powerful performance
-  Supports Tap, Chip, and Magnetic Stripe
-  Built-in 4G LTE connectivity for mobile transactions
-  EMV Level 1 & 2 certified for enhanced security
-  Long-lasting 7.6V Li-ion battery for all-day use
-  Bright 8" HD display for clear and easy interaction

	CPU	Secure ARM Cortex M3
	Buttons	On/Off button, 10 numeric buttons, 5 function buttons
	Display	320 x 240 px touch screen display
	Magnetic Card Reader	Triple track bi-directional
	Smart Card Reader	Landing type
	Contactless Reader (optional)	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments (optional)	VISA payWave, MasterCard PayPass, American Express, DPAS (Discover), China UnionPay, J/Speedy (JCB), Common.SECC
	Connectors	RS-232 contact pins, USB Type-C port, SAM card slot (optional), SIM card slot (optional)
	Wired Communication	USB (device)
	OS Compatibility	iOS, Android, Windows
	Bluetooth (optional)	BT version 4.2 Low Energy
	Wireless (optional)	Wi-Fi IEEE 802.11 b/g/n
	Cellular Module (optional)	2G/3G/4G communication
	LED Indication	Contactless payment status
	Audio Features	Electromagnetic buzzer
	Power Supply	DC 5 V through USB, DC 5 V through contact pins
	Battery	Rechargeable Li-ion Battery, 3.7 V, 1180 mAh
	Reliability	500,000 chip card cycles, 1,000,000 magnetic card swipes, 1,000,000 button clicks
	Certificates	CE, FCC, PCI PTS 6.x, EMV Level 1, EMV Level 2, EMV Level 1 Contactless, TQM
	Dimension W x D x H	71 x 133 x 19 mm
	Weight	180 g
	Operational Temperature	-10 °C to 40 °C / 5 to 70% RH
	Storage temperature	-15 °C to 50 °C / 5 to 70% RH
	Drop Tested	1.2 m, faces and edges
	Other Box Contents	90 cm USB Type-A to Type-C cable
	Compatible Accessories	Charger (GT1), 5-unit charger (GT5), Metal Stand, Plastic Stand, BlueCharge-55, Blueprint-55, BlueScan-55

Square Reader



KEY FEATURES

- 

Compact square design with a bright 3.5-inch touchscreen display
- 

Accepts Tap, Chip, Swipe and Contactless payments
- 

Built-in 2G/3G/4G connectivity for flexibility anywhere
- 

Long-lasting rechargeable battery for all-day use
- 

EMV Level 1 & 2 and PCI 5.x certified for enhanced security
- 

Audio feedback with microphone, speaker and buzzer

	CPU	MT8766
	Memory	16 GB EMMC, 2 GB LPDDR 4X 128 GB Micro SD max extended storage
	Operating System	Android 12 GO
	Main Camera	2 Megapixel camera
	Buttons	On/Off button
	Display	3.5-inch IPS 480 x 480 px touchscreen
	Sensors	G-sensor
	Smart Card Reader	Landing type
	Contactless Reader	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments	VISA payWave MasterCard Contactless American Express ExpressPay Discover D-Pas
	Connectors	SIM card slot 2 x SAM card slot USB Type-C Contact pads
	Bluetooth	BT 5.0
	Wireless	IEEE 802.11a/b/g/n/ac
	Cellular Module	2G/3G/4G
	GNSS	GPS A-GPS
	LED Indication	Transaction status
	Audio Features	Microphone 0.8 W Speaker Electromagnetic buzzer
	Power Supply	DC 5 V through USB DC 5 V through contact pads
	Battery	Rechargeable Li-Po Battery 3.85 V, 1800 mAh
	Certificates	PCI 5.x (SRED) EMV Level 1 EMV Level 2 EMV Level 1 Contactless UN38.3

Go Pad Plus

Powerful Android smart terminal with integrated payments and enterprise performance.



KEY FEATURES

- 

High-performance Android smart terminal for any business environment
- 

Large 5-inch HD touch display for clear, intuitive interaction
- 

Accepts Tap, Chip, Swipe, Contactless and barcode payments
- 

Dual-band Wi-Fi and built-in 2G/3G/4G connectivity
- 

Long-lasting rechargeable battery for all-day use
- 

EMV Level 1 & 2 and PCI 5.x certified for maximum security
- 

Loud speaker and optional buzzer for clear audio feedback

	CPU	Quad Core ARM Cortex-A53 - 1.8 GHz Secure ARM Cortex M4
	Memory	1 GB RAM, 8 GB Flash (optional) 2 GB RAM, 16 GB Flash (optional)
	Operating System	Android 10
	Main Camera	5 megapixels, fixed focus, 70 lm flash light
	Secondary Camera	0.3 megapixels
	Buttons	On/Off button, 2 scan buttons
	Display	5-inch mutual capacitance touch 720 x 1280 px
	Sensors	Accelerometer, Proximity sensor, Light sensor
	Smart Card Reader	Friction type
	Contactless Reader	NFC-A, ISO 14443 Type A, NFC-B, ISO 14443 Type B, NFC-F, Felica, NFC-V, ISO 15693
	Contactless Payments	VISA payWave, MasterCard PayPass, American Express, DPAS (Discover)
	Barcode Reader (optional)	2D Zebra SE4710 - 1280 x 800 CMOS
	Symbologies	UPC/EAN, UPC/EAN with supplementals, Code 128, GS1-128, Code 39, Trioptic, Code 32, Code 93, Code 11, Matrix 2 of 5, Interleaved 2 of 5, IATA 2 of 5, Industrial 2 of 5, Codabar, Codablock F, MSI, Telepen, GS1 DataBar variants PDF417, MicroPDF417, Composite Code, Data Matrix, Maxicode, QR Code, MicroQR, Aztec, GS1 QR, Han Xin, Japan Postal, Australian Post, Data Matrix, US postnet, UK postal, MicroPDF417, Simple Datamatrix, Inverted Datamatrix, DOT code
	Connectors	2 x nano SIM card slots, SAM card slot, Micro SD card slot (max 32 GB), RS-232 contact pins, USB Type-C port, 3.5 mm TRRS port
	Wireless	IEEE 802.11 a/b/g/n/ac, 2.4 GHz and 5 GHz
	Cellular Module	2G/3G/4G
	GNSS	GPS, A-GPS, BeiDou, GLONASS, Galileo
	Audio Features	90 dB speaker, Electromagnetic buzzer (optional)
	Power Supply	DC 5 V through USB, DC 5 V through contact pins
	Battery	Rechargeable Li-ion Battery, 4.35 V, 2500 mAh, Coin Cell, 3 V, 120 mAh
	Certificates	CE, FCC, ROHS, CB, BIS, UN38.3, PCI PTS 5.x SRED, EMV Level 1, EMV Level 2, EMV Level 1 Contactless
	Dimension W x D x H	144 x 77 x 16 mm
	Weight	208 g
	Operational Temperature	-10 °C to 50 °C / 10 to 90% RH
	Storage Temperature	-30 °C to 70 °C / 10 to 90% RH
	Drop Tested	1.2 m, faces and edges
	Other Box Contents	90 cm USB Type-A to Type-C cable

Go 50

Advanced Android smart terminal for secure payments and business mobility.



KEY FEATURES

-  Powerful Android terminal for demanding business applications
-  Brilliant 5.4-inch multi-touch display with OLED customer display
-  Accepts Tap, Chip, Swipe, Contactless and barcode payments
-  Dual-band Wi-Fi and built-in 2G/3G/4G connectivity
-  Long-lasting rechargeable battery for all-day performance
-  EMV Level 1 & 2 and PCI 5.x certified for maximum security
-  Built-in speaker, microphone and optional electromagnetic buzzer for audio feedback

	CPU	Quad Core ARM Cortex-A53 - 2.0 Ghz, Secure ARM Cortex M3
	Memory	1 GB RAM, 8 GB Flash (optional), 2 GB RAM, 16 GB Flash (optional), 32 GB Micro SD max extended storage
	Operating System	Android 10
	Main Camera	5 Megapixel camera
	Secondary Camera	0.3 Megapixel camera
	Display	5.4-inch multi-touch 720 x 1440 px
	Customer Display	128 x 32 px OLED
	Printing Resolution	203 x 203 dpi (8 x 8 dpmm)
	Printing Width	48 mm (384 dots)
	Printing Speed	12lines/second
	Sensors	Accelerometer, Proximity sensor, Light sensor
	Paper Width	58 mm
	Max Roll Diameter	40 mm
	Magnetic Card Reader	Triple track bi-directional
	Smart Card Reader	Friction type
	Contactless Reader	NFC-A, ISO 14443 Type A, NFC-B, ISO 14443 Type B, NFC-F, Felica, NFC-V, ISO 15693
	Contactless Payments	VISA payWave, Mastercard PayPass, American Express, DPAS, China UnionPay
	Barcode Reader (optional)	2D Zebra SE4710 - 1280 x 800 CMOS
	Connectors	2 x nano SIM card slots, SAM card slot, Micro SD card slot (max 32 GB), RS-232 contact pins, USB Type-C port, 3.5 mm TRRS port
	Wired Communication	USB
	Wireless	IEEE 802.11 a/b/g/n/ac, 2.4 GHz and 5 GHz
	Cellular Module	2G/3G/4G
	GNSS	GPS, A-GPS, Galileo
	Audio Features	90 dB speaker, Electromagnetic buzzer, Microphone
	Power Supply	USB Type-C multi-voltage adapter, DC 5 V through USB, DC 5 V through contact pins
	Battery	Rechargeable Li-ion Battery, 7.4 V, 2600 mAh
	Certificates	CE, FCC, RoHS, Mastercard TQM, PCI PTS 5.x SRED, EMV Level 1, EMV Level 2, EMV Level 1 Contactless
	Dimension W x D x H	82 W x 206 D x 61 H (mm)
	Weight	506 g
	Drop Tested	1.2 m, faces and edges



Go Tab

Payment on Tablet Screen

- Tablet offering payment optimized NFC antenna
- Perfect payment experience on the enterprise mobile device
- Contactless reading distance and accuracy comparable with professional POS terminals



Secure Card Reader PIN (SCRIP)

EMV Card Reader

Contactless Reader

Barcode Scanner
(optional accessory)

Scanner trigger button
(optional accessory)

Smartback-battery plate
hosting accessory with
payment device

Scanner Frame
(optional accessory)



Go Unattended

Reliable contactless payments for self-service and unattended environments.



KEY FEATURES

-  Contactless payments for unattended and self-service solutions
-  Reliable and secure performance
-  USB Type-C connectivity for modern integration
-  Electromagnetic buzzer for clear audio feedback
-  LED indication for payment status
-  Certified for EMV Level 1 Contactless and PCI 6.x
-  Built for durability in unattended environments

	CPU	Secure ARM Cortex M4
	Buttons	On/Off button
	Smart Card Reader	Friction type
	Contactless Reader	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments	VISA payWave MasterCard Contactless American Express ExpressPay Discover D-Pas
	Connectors	USB Type-C port
	Wired Communication	USB (device) RS-232
	OS Compatibility	Windows
	LED Indication	Contactless payment status
	Audio Features	Electromagnetic buzzer
	Power Supply	DC 5 V through USB
	Battery	Rechargeable Li-Po Battery 3.7 V, 500 mAh
	Reliability	1,000,000 magnetic card swipes 500,000 chip card cycles
	Certificates	CE PCI 6.x EMV Level 1 Contactless TQM IP65 IK08
	Dimension W x D x H	105 x 22 x 73 mm
	Weight	95 g
	Operational Temperature	-10 °C to 40 °C / 5 to 90% RH
	Storage Temperature	-15 °C to 50 °C / 5 to 90% RH
	Other Box Contents	90 cm USB Type-A to USB Type-C cable

Go-50

Unattended



KEY FEATURES

- 

All-in-one unattended payment terminal with Android OS
- 

Accepts all major contactless, chip, swipe and barcode payments
- 

5-inch high-resolution touchscreen for intuitive user experience
- 

Dual cameras for enhanced functionality and security
- 

Flexible connectivity with Wi-Fi and 2G/3G/4G
- 

EMV Level 1 & 2, PCI 6.x and IP55 certified for reliability and security
- 

Long-lasting battery with powerful performance
- 

Built-in speaker for clear audio feedback

	CPU	Quad Core ARM Cortex-A53 1.8 GHz Secure ARM Cortex M3
	Memory	2 GB RAM, 16 GB Flash 2 GB RAM, 32 GB Flash (optional) 32 GB Micro SD max extended storage
	OS	Android 13
	Main Camera	2 Megapixel camera
	Secondary Camera	0.3 Megapixel camera
	Buttons	3 buttons
	Display	5-inch TFT IPS 720 x 1280 px
	Mag Card Reader	Triple Track bi-directional
	Smart Card Reader	Landing type
	Contactless Reader	NFC-A, ISO 14443 Type A NFC-B, ISO 14443 Type B NFC-F, Felica NFC-V, ISO 15693
	Contactless Payments	VISA payWave MasterCard Contactless American Express ExpressPay Discover D-Pas China UnionPay J/Speedy (JCB) Interac (Canada)
	Barcode Reader	Zebra 4710, Zebra 4750, Zebra 4770
	Connectors	2 x USB Type-A port, USB Type-C port, RS-232, MDB, Executive, LAN, 2 x nano SIM, SAM card slot (optional), 3.5 mm TRRS port
	OS Compatibility	Android, Windows
	Wireless	IEEE 802.11 a/b/g/n/ac, 2.4 GHz and 5 GHz
	Cellular Module	2G/3G/4G
	Audio Features	1 Speaker, 2 W
	Power Supply	12 – 48 V DC via MDB or RS-232, 19 – 30 V AC via Executive
	Battery	Rechargeable Li-Po Battery, 3.7 V, 220 mAh, Coin Cell, 3 V, 600 mAh
	Certificates	CE, FCC, PCI 6.x, TQM, Common.SECC UKCC, RoHs, IC, EMV L1, L2 Contact, EMV L1 Contactless, IP55, IK08
	Dimension W x D x H	95 x 162 x 44 mm
	Weight	425 g
	Operational Temperature	-20 °C to 70 °C / 5 to 90% RH
	Storage Temperature	-30 °C to 70 °C / 5 to 90% RH

Why CHARGE Anywhere / QuickSale® HUB

Bring everything back together:
one infrastructure, multiple
payment experiences.

QuickSale® HUB is the unified payment infrastructure that empowers ISVs to deliver seamless, secure, and scalable payment experiences across any device, channel or environment.



ISV Integration

Purpose-built for Software Vendors. QuickSale® HUB provides simple, powerful APIs and SDKs that make it easy to integrate payments into your application, platform or device ecosystem.

- ✓ Robust, developer-friendly APIs and SDKs
- ✓ Extensive documentation and support
- ✓ Flexible integration across platforms and devices
- ✓ Accelerate time-to-market and reduce development costs



Payment Ecosystem

One hub. Every payment method. QuickSale® HUB connects you to a broad range of payment options and processors, so you can deliver the right experience for every business and every customer.

- ✓ Accept all major cards, digital wallets and alternative payments
- ✓ Support for in-store, mobile, eCommerce and unattended
- ✓ Processor flexibility and redundancy
- ✓ Future-ready for emerging payment trends



Security & Connectivity

Enterprise-grade security and unmatched connectivity keep your payments fast, safe and always on. QuickSale® HUB is engineered for reliability in any environment.

- ✓ End-to-end encryption and tokenization
- ✓ PCI DSS Level 1 Service Provider, PCI P2PE ready
- ✓ Multi-network connectivity with automatic failover
- ✓ Real-time monitoring and 24/7 infrastructure support
- ✓ Built-in tools to manage risk and ensure compliance



A Strong Partner Proposition

When you partner with CHARGE Anywhere, you gain more than just a technology provider—you gain a strategic partner invested in your success. We provide the tools, resources and support to help you grow your business, delight your customers and stay ahead of the competition.

- ✓ Proven technology and reliability
- ✓ Dedicated partner support
- ✓ Marketing and co-sell enablement
- ✓ A partner ecosystem built for growth

One Infrastructure. Endless Possibilities.



Retail & Hospitality
In-store, mobile and unattended solutions



ISV & Software Platforms
Embed payments seamlessly into your platform



eCommerce
Secure, scalable online payment processing



Unattended Payments
Reliable self-service and unattended experiences



Healthcare & Utilities
Simplify payments for essential services



Mobility & Fleet
Power payments across the road and in the field

Powering Payments. Connecting Possibilities.



CHARGE Anywhere delivers secure, flexible payment solutions that integrate seamlessly, scale effortlessly and perform everywhere business happens.

One Infrastructure.
Endless Payment Experiences.



Integrated & Flexible

Purpose-built APIs and SDKs for ISVs and Software Vendors.



Complete Ecosystem

Accept every payment method across in-store, online and unattended environments.



Secure by Design

Enterprise-grade security with PCI DSS L1 Service Provider and P2PE certified solutions.



Reliable Connectivity

Multi-network connectivity and automatic failover for maximum uptime.



Built for Growth

Scalable, future-ready technology to grow with your business.



Let's Talk HUB

Discover how CHARGE Anywhere and QuickSale® HUB can power your next payment solution.

LET'S TALK HUB



Build Your Payment Solution.

Get in Touch



Website
chargeanywhere.com



Email
sales@chargeanywhere.com



Phone
[800-211-1256]



Headquarters
Piscataway, NJ 08854

Scan the QR code to visit chargeanywhere.com or schedule a meeting with our team.



Follow Us



CHARGE
ANYWHERE®
Empowering Payments®



Trusted. Certified. Proven.

PCI DSS Level 1 Service Provider | PCI P2PE Ready

